

IN'SENS[®]
the architek sens

IN'SENS[®]
the architek sens

1.00 MM ARCHITECTURAL LAMINATES DESIGNS




Make it
Simple,
But
Significant

IN'SENS[®]
the architek sens

MAKE IT
SIMPLE,
BUT
SIGNIFICANT

ELEVATING
ARCHI
TECTURE
**INSPIRING
TOMORROW**


Insens, a preferred brand for architects who search for excellence. Our story is fueled by passion, unmatched craftsmanship, and a relentless drive to challenge the limits of possibility. With Insens laminates, architects are empowered to forge awe-inspiring spaces that transcend time, leaving an enduring impact on the world of architecture.



MAKE IT SIMPLE, BUT SIGNIFICANT

IN'SENS
the architect sens

ELEVATING
ARCHI
TECTURE
INSPIRING
TOMORROW



EMBRACE THE POWER OF
1.00 MM ARCHITECTURAL LAMINATES DESIGNS AND ELEVATE YOUR
SPACE TO NEW DIMENSIONS OF STYLE AND ELEGANCE.



Surface
ZERO FINISH

Thickness
1.00 mm.

100% Pure Phenolic Laminate
European Base Paper
& Texture



PURE PHENOLIC PRODUCTS



GENUINE THICKNESS



FLAME RETARDANT



STAIN FREE

THE
DESK OF
Designers



THE DESK OF DESIGNERS

The essence of interior design will always be about people and how they live. It is about the realities of what makes for an attractive, civilized, meaningful environment, not about fashion or what's in or what's out. This is not an easy job."



ZF 8051
COLIN OAK

ST 1005
SLATE GREY



SENSE OF CREATIVITY

An appreciation for playful, imaginative, and light-hearted design elements that add a touch of charm and joy to the overall aesthetic.



-  PURE PHENOLIC PRODUCTS
-  GENUINE THICKNESS
-  FLAME RETARDANT
-  STAIN FREE



ST 1118
SEA GREEN

 ZC 8044
MASAI OAK

Surface
ZERO CROWN | **Thickness**
1.00 mm.

100% Pure Phenolic Laminate
European Base Paper
& Texture



 ZC 8042
KORA OAK

 ZC 8043
DINGO OAK



SENSE OF HARMONY

Experience the transformative power of harmony, as your space effortlessly blends style, comfort and balance.



ST 1122
KOTA

Surface
ZERO CROWN | **Thickness**
1.00 mm.

100% Pure Phenolic Laminate
European Base Paper
& Texture




ZC 8047
ALICASIA BROWN



ZC 8045
JARRAH CHOCO

ZC 8046
ALICASIA TEAK



SENSE OF NOSTALGIA

A fondness for designs that evoke a sense of the past, often inspired by vintage or retro styles, which can create a sense of warmth and familiarity.



ZC 8039
DAWSON OAK

ZC 8040
COHIBA OAK

Surface
ZERO CROWN | **Thickness**
1.00 mm.

100% Pure Phenolic Laminate
European Base Paper
& Texture



ZC 8041
SKORPION OAK



ST 1115
FRENCH



SENSE OF FUNCTIONALITY

Prioritizing practicality and usability in design, ensuring that products and spaces are efficient, intuitive, and user-friendly.



 ZF 8033
MISSOULA WALNUT

- 
PURE PHENOLIC PRODUCTS
-
- 
GENUINE THICKNESS
-
- 
FLAME RETARDANT
-
- 
STAIN FREE



ST 1028
CANDY ROSA

Surface
ZERO FINISH

Thickness
1.00 mm.


100% Pure Phenolic Laminate
European Base Paper
& Texture



 ZF 8032
BELTON WALNUT



 ZF 8031
JOAQUIN WALNUT



SENSE OF DESIGN

Design is your creative language, shaping your personal sanctuary into a reflection of your aesthetic vision and functional needs.



-  PURE PHENOLIC PRODUCTS
-
-  GENUINE THICKNESS
-
-  FLAME RETARDANT
-
-  STAIN FREE



 ZF 8038
GIRONA WALNUT

ST 1005
SLATE GREY



Surface
ZERO FINISH

Thickness
1.00 mm.

100% Pure Phenolic Laminate
European Base Paper
& Texture



 ZF 8034
NOCE PRESTINE

 ZF 8035
BUFFALO WALNUT



SENSE OF SERENITY

Cultivate a sense of serenity within your dwelling, creating a tranquil haven that embraces natural elements, harmonious colors, and soothing textures.



ST 1103
XL GREY

ZF 8020
PRISTINE GREY OAK

Surface
ZERO FINISH

Thickness
1.00 mm.


100% Pure Phenolic Laminate
European Base Paper
& Texture



ZF 8019
SHERWOOD OAK



ZF 7062
BELLA



SENSE OF INNOVATION

Embrace a sense of innovation in your design choices, pushing the boundaries of traditional aesthetics and create a living space that sparks curiosity and inspires creativity.



- 
PURE PHENOLIC PRODUCTS
-
- 
GENUINE THICKNESS
-
- 
FLAME RETARDANT
-
- 
STAIN FREE



ST 1115
FRENCH



ZF 8037
OKRA WALNUT



Surface
ZERO FINISH

Thickness
1.00 mm.



100% Pure Phenolic Laminate
European Base Paper
& Texture




- 
PURE PHENOLIC PRODUCTS
-
- 
GENUINE THICKNESS
-
- 
FLAME RETARDANT
-
- 
STAIN FREE



ST 1117
PETROL BLUE



ZF 8036
PEGASO



SENSE OF ELEGANCE

Elegance is the thread that weaves through your design choices, infusing your dwelling with a timeless grace and sophisticated allure.



- 
PURE PHENOLIC PRODUCTS
-
- 
GENUINE THICKNESS
-
- 
FLAME RETARDANT
-
- 
STAIN FREE



ST 1122
KOTA



ZF 7037
FEDORA



Surface
ZERO FINISH | **Thickness**
1.00 mm.


100% Pure Phenolic Laminate
European Base Paper
& Texture



- 
PURE PHENOLIC PRODUCTS
-
- 
GENUINE THICKNESS
-
- 
FLAME RETARDANT
-
- 
STAIN FREE



ZF 7038
EVREA



SENSE OF TEXTURE

Texture adds depth and tactile richness to your environment, allowing you to engage your senses and create a visually captivating and sensorially stimulating atmosphere.

- 
PURE PHENOLIC PRODUCTS
-
- 
GENUINE THICKNESS
-
- 
FLAME RETARDANT
-
- 
STAIN FREE



 ZF 7059
KELSO WALNUT

ST 1028
CANDY ROSA

Surface
ZERO FINISH


Thickness
1.00 mm.

100% Pure Phenolic Laminate
European Base Paper
& Texture



 ZF 7043
EURASIA

 ZF 7044
ALICASIA



SENSE OF VERSATILITY

Unleash the power of versatility in your space, where style seamlessly adapts to meet your every design need.



GENUINE THICKNESS



FLAME RETARDANT



STAIN FREE



ST 1115
FRENCH



ZF 7070
ELVERUM




Surface
ZERO FINISH

Thickness
1.00 mm.



100% Pure Phenolic Laminate
European Base Paper
& Texture



GENUINE THICKNESS



FLAME RETARDANT



STAIN FREE



ZF 7072
AGOSTINO



SENSE OF LUXURY

Indulge in a sense of luxury as you create an opulent retreat, exuding elegance, grandeur, and the finest quality, surrounding yourself with refined extravagance.



ZO 8042
KORA OAK



ZO 8043
DINGO OAK

Surface
ZERO OAK

Thickness
1.00 mm.

100% Pure Phenolic Laminate
European Base Paper
& Texture



ZO 8044
MASAI OAK



ZO 8045
JARRAH CHOCO



SENSE OF STYLE

Your sense of style is the canvas on which you paint your unique personality, expressing your individuality through every curated choice.



- 
PURE PHENOLIC PRODUCTS
-
- 
GENUINE THICKNESS
-
- 
FLAME RETARDANT
-
- 
STAIN FREE



ST 1005
SLATE GREY



Surface
ZERO OAK

Thickness
1.00 mm.

100% Pure Phenolic Laminate
European Base Paper
& Texture



- 
PURE PHENOLIC PRODUCTS
-
- 
GENUINE THICKNESS
-
- 
FLAME RETARDANT
-
- 
STAIN FREE





SENSE OF SUBTLETY

Incorporating understated and nuanced design elements that convey elegance and sophistication, often through minimalism and attention to detail



ZO 8050
TROMS GREY

ZO 8049
TROMS DARK



Surface
ZERO OAK

Thickness
1.00 mm.

100% Pure Phenolic Laminate
European Base Paper
& Texture



ZO 8048
TROMS BEIGE



ST 1110
EARTH




SENSE OF WARMTH

Infusing warmth into your habitat creates an inviting embrace, where every element conspires to make you feel at home and cocooned in comfort.



 DT 8040
COHIBA OAK

-  PURE PHENOLIC PRODUCTS
-
-  GENUINE THICKNESS
-
-  FLAME RETARDANT
-
-  STAIN FREE



ST 1108
MIST

Surface
DRY TOUCH

Thickness
1.00 mm.


100% Pure Phenolic Laminate
European Base Paper
& Texture



 DT 8039
DAWSON OAK



 DT 8041
SKORPION OAK



SENSE OF TIMELESSNESS

Creating designs that transcend passing trends, focusing on enduring qualities and classic aesthetics that remain relevant and appealing over time.



PURE PHENOLIC PRODUCTS



GENUINE THICKNESS



FLAME RETARDANT



STAIN FREE



ST 1110
EARTH



DT 8050
TROMS GREY

Surface
DRY TOUCH

Thickness
1.00 mm.



100% Pure Phenolic Laminate
European Base Paper
& Texture



DT 8048
TROMS BEIGE



DT 8049
TROMS DARK



SENSE OF PROPORTION

Embrace versatility in your arrangements, allowing your dwelling to effortlessly adapt to your ever-evolving needs and the dynamic nature of life.

Surface
VERTICAL FLUTE

Thickness
1.00 mm.

100% Pure Phenolic Laminate
European Base Paper
& Texture



PURE PHENOLIC PRODUCTS



GENUINE THICKNESS




FLAME RETARDANT



STAIN FREE



ST 1028
CANDY ROSA



VF 6020
MONTELLO



VF 6037
SERRA RUST




VF 6038
VENICE



SENSE OF MODERNITY

Embrace the spirit of modernity as you curate your living environment, blending contemporary aesthetics with cutting-edge design concepts to create a space that feels fresh and forward-thinking.



CS 6037
SERRA RUST




CS 6038
VENICE

Surface
CARBON STONE

Thickness
1.00 mm.

100% Pure Phenolic Laminate
European Base Paper
& Texture



PURE PHENOLIC PRODUCTS



GENUINE THICKNESS




FLAME RETARDANT



STAIN FREE



CS 6020
MONTELLO



ST 1005
SLATE GREY

- Product : High Pressure Decorative Laminated Sheets
 Size : 2440 mm x 1220 mm (8'x4')
 Thickness : 1 mm and 1.5 mm (other thickness available on request)
 Product Conformity to : British European standard-BS EN 438, American NEMA LD-3, BIS (Bureau of Indian Standard) IS-2046.
 Limited Warranty : Our ensures that its products are fairly free from any manufacturing defects. Manufacturing specification of a product may observe insignificant anomaly due to rigorous usage over time. Otherwise, our product warranty extends to maximum one year from the date of purchase from Ovel, exclusive to one buyer only. It is advisable to inspect products bought from us prior to their installation. Because, we do not cover for accidents, lack of care, abusive/improper usage of our products afterward. Poor workmanship or any kind of alteration done to Ovel products after their purchase will only be considered as going against the manufacturer's maintenance and installation guidelines. Because of various applications, our liability extends till the selling of our products.
 Care & Maintenance: Place felt floor protectors under the legs of moveable furniture. Use dust mop as primary cleaning method. No wet mopping. Occasionally damp mop with water can be used. Do not pour liquid directly on floor or use a wet mop that will puddle or leave moisture standing on the floor. Do not use detergents, abrasive cleaners, soaps, waxes or polishes. Use correct hard surface vacuum tools. Do not use rotating beater bars, floor scrubbers, steamers, jet mops, buffers or similar products. Do not allow liquids to stand on the floor. Wipe up spills immediately.
 Note : 1. Sample presented are indicative of color, pattern and surface finish but of actual thickness, high gloss sheets are recommended for vertical application only.
 2. Finishes other than shown in here are available on request.

Limited Warranty

In-Sens warrants that, under normal use, the material and workmanship of its products shall conform to the standards set forth on the applicable technical datasheet for a period of twelve (12) months from the date of sale to first consumer purchaser. Dealers and distributors are provided with the technical data sheet, which contain specific standards of performance for the product. In the event that the product does not perform as warranted, the purchaser's sole remedy shall be limited to repair or replacement of all or any part of the product, which is defective, at the manufacturer's sole discretion. This warranty is not transferable, and expires upon resale or transfer by the first consumer purchaser.

This warranty shall not apply to defects or damage arising from any of the following: accidents, abuse or misuse, exposure to extreme temperature, improper fabrication or installation & improper maintenance.



NO CLAIM WILL BE ENTERTAINED
FOR AIR BUBBLES



NO CLAIM WILL BE ENTERTAINED
FOR CRACKING ARISING OUT OF GROOVE CURRYING OR L-SHAPE



No Warranties
On Corner Crack
(use Drill While Cutting)



No Warranties
On Air Bubbles
(be Careful On Vertical Pasting)



Keep Away From **Direct Sunlight**
(be Careful On (to Prevent Fade In Color Or Any Shade Variation))

TECHNICAL SPECIFICATION

PROPERTIES	SPECIFIED VALUES AS PER IS:2046-1995	OUR CONFIRMS
Thickness	1mm (± 10%)	✓
Resistance to surface wear	350 (revolution)	✓
Resistance to immersion in boiling water		
- Mass increase (%)	10.0 Max.	✓
- Thickness increase (%)	11.8 Max.	✓
Resistance to dry heat 180° C	Not worse than 4	✓
Dimensional stability at deviated temperature		
- Longitudinal (%)	0.5 Max.	✓
- Transverse (%)	0.9 Max.	✓
Dimensional stability at 20° C		
- Longitudinal (%)	0.375 Max.	✓
- Transverse (%)	0.60 Max.	✓
Resistance to impact by small diameter ball	20N Min.	✓
Resistance to cracking	Not worse than 4	✓
Resistance to scratching	2N Min.	✓
Resistance to staining	Not worse than 5	✓
Resistance to colour change (Wool standards)		
- In Xenon arc light	Not worse than 6	✓
- in enclosed Carbon arc light	Not worse than 5	✓
Resistance to cigarette burns	Not worse than 3	✓
Resistance to steam	Not worse than 4	✓
Appearance	Should be free from foreign particles	✓

All testes may not valid for embossed & metallic laminates.



keep away from **direct sunlight**



engineered for **interior use only**



carpenter friendly **easy to use**